



BUILDING CODE COMPLIANCE OFFICE (BCCO)  
PRODUCT CONTROL DIVISION

MIAMI-DADE COUNTY, FLORIDA  
METRO-DADE FLAGLER BUILDING  
140 WEST FLAGLER STREET, SUITE 1603  
MIAMI, FLORIDA 33130-1563  
(305) 375-2901 FAX (305) 375-2908

## NOTICE OF ACCEPTANCE (NOA)

KML Windows, Inc.  
23 Buchanan Court  
London, Ontario, Canada N5Z 4P9

### SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed by Miami-Dade County Product Control Division and accepted by the Board of Rules and Appeals (BORA) to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Division (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. BORA reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Division that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the High Velocity Hurricane Zone of the Florida Building Code.

### DESCRIPTION: Aluminum Clad Direct Set Glazed Wood Fixed Window-Non-Impact Resistant

**APPROVAL DOCUMENT:** Drawing No.1225B, titled "Aluminum Clad Wood Direct Glazed Fixed Non-Impact Windows", sheets 1 through 6 of 6, prepared by W.W. Schaefer Engineering & Consulting, P.A., dated 5/13/03, signed and sealed by Warren Schaefer, P.E., bearing the Miami-Dade County Product Control Revision stamp with the Notice of Acceptance number and expiration date by the Miami-Dade County Product Control Division.

### MISSILE IMPACT RATING: None

**LABELING:** Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

**RENEWAL** of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

**TERMINATION** of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

**ADVERTISEMENT:** The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

**INSPECTION:** A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA revises NOA # 00-1030.04 and, consists of this page 1 as well as approval document mentioned above. The submitted documentation was reviewed by **Theodore Berman, P.E.**

9/17/2003



NOA No 03-0625.08  
Expiration Date: April 19, 2004  
Approval Date: October 09, 2003  
Page 1

**KML Windows, Inc.**

**NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED**

**A. DRAWINGS**

1. Manufacturer's die drawings and sections.
2. Drawing No. **1225B**, titled "Aluminum Clad Wood Direct Glazed Fixed Non-Impact Windows", sheets 1 through 6 of 6, prepared by W.W. Schaefer Engineering & Consulting, P.A., dated 5/13/03, signed and sealed by Warren Schaefer, P.E.


**B. TESTS**

***Submitted under NOA# 00-1030.04***

1. Test reports on 1) Air Infiltration Test, per FBC, TAS 202-94  
2) Uniform Static Air Pressure Test, Loading per FBC, TAS 202-94  
3) Water Resistance Test, per FBC, TAS 202-94  
4) Large Missile Impact Test per FBC, TAS 201-94  
5) Cyclic Wind Pressure Loading per FBC, TAS 203-94  
along with installation diagram of direct set wood fixed windows of different shapes, prepared by Intertek Testing Services NA Inc., Test Report No. **J99022770-231-01**, dated October 9, 2000, signed and sealed by Douglas Keith Tucker, P.E.
2. Test reports on 1) Air Infiltration Test, per FBC, TAS 202-94  
2) Uniform Static Air Pressure Test, Loading per FBC, TAS 202-94  
3) Water Resistance Test, per FBC, TAS 202-94  
along with installation diagram of direct set wood fixed windows of different shapes, prepared by Intertek Testing Services NA Inc., Test Report No. **J99022770-231-02**, dated October 10, 2000, signed and sealed by Douglas Keith Tucker, P.E.

**B. CALCULATIONS**

1. Glass Load Resistance Report and ASTM E-1300, dated 5/22/03, prepared by W.W. Schaefer Engineering & Consulting, P.A., signed and sealed by Warren Schaefer, P.E.  
***Submitted under NOA# 00-1030.04***
2. Engineering Calculations prepared by W.W. Schaefer Engineering & Consulting, P.A., dated 8/28/00, sheets 1 thru 9 of 9, signed and sealed by Warren W. Schaefer, P.E.

  
Theodore Berman, P.E.

Deputy Director, Product Control Division

NOA No 03-0625.08

Expiration Date: April 19, 2004

Approval Date: October 09, 2003

**KML Windows, Inc.**

**NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED**

**C. MATERIAL CERTIFICATIONS**

***Submitted under NOA# 00-1030.04***

1. Notice of Acceptance No. **00-0524.06** issued to Nebula Glass International Inc. for "Glasslam Safety-Plus Laminated Glass" dated 9/21/00, expiring on 9/9/03.

**D. STATEMENTS**


1. None

**E. QUALITY ASSURANCE**


1. Miami Dade County Building Code Compliance Office.

**F. OTHER**

1. Notice of Acceptance No. **00-1030.04**, issued to KML Window, Inc., Aluminum Clad Direct Set Glazed Wood Fixed Window, approved on 4/19/01 and expiring on 4/19/04.



Theodore Berman, P.E.  
Deputy Director, Product Control Division  
NOA No 03-0625.08  
Expiration Date: April 19, 2004  
Approval Date: October 09, 2003



## GENERAL NOTES

1. THESE WINDOW SYSTEMS HAVE BEEN TESTED, ANALYZED AND APPROVED FOR DESIGN PRESSURES NOT TO EXCEED THOSE SHOWN IN THE LOAD TABLES ON SHEET 1, 2 & 5.
2. BUCKING, OPENINGS & BUCKING FASTENERS MUST BE DESIGNED & INSTALLED TO WITHSTAND WIND LOADS AS DETERMINED FOR EA. APPLICATION
3. ALL HARDWARE & FASTENERS SHALL BE IN ACCORDANCE WITH THESE DRAWINGS & MAY NOT VARY UNLESS SPECIFICALLY MENTIONED ON THE DRAWINGS.
4. THE DETAILS & SPECIFICATIONS SHOWN HEREIN REPRESENT THE PRODUCTS PROPOSED FOR WATER, AIR & UNIFORM STATIC AIR PRESSURE TESTING IN CONFORMANCE WITH FLORIDA BUILDING CODE PROTOCOLS TAS 202 FOR NON-IMPACT WINDOWS.
5. ALL JAMB TO BUCKING SHEAR FASTENERS MUST PENETRATE BUCK A MINIMUM OF 1 3/8". IF PENETRATION IS LESS THAN 1 3/8" THEN SCREW LENGTH SHALL INCREASE AS REQUIRED.
6. THESE WINDOW SYSTEMS HAVE BEEN DESIGNED IN ACCORDANCE WITH THE FLORIDA BUILDING CODE (FBC).
7. THIS PRODUCT HAS BEEN TESTED IN ACCORDANCE WITH FLORIDA BUILDING CODE PROTOCOLS TAS-202.
8. THE LARGER WINDOW DIMENSION MAY BE EITHER HORIZONTAL OR VERTICAL.
9. FOR ALL NON-IMPACT WINDOWS, FLORIDA BUILDING CODE APPROVED SHUTTERS ARE REQUIRED.

**NOTE:** FOR COMBINATION OF UNITS. SEE MULLION DRAWING NO. 1003E UNDER SEPERATE APPROVAL

### SIZE NOTE:

WINDOW SIZE & LOAD SHALL BE LIMITED BY THOSE SIZES & LOADS SPECIFIED IN THE LOAD TABLES ON SHEET 5.

### ALLOWABLE DESIGN LOADS


SEE "LOAD TABLE" ON SHEET 5

### JAMB FASTENER MIN. EMBEDMENT INTO OPENING OR BUCK

NO. 10 SMS SCREWS INTO BUCK = 1 3/8"  
1/4" TAPCON INTO CONCRETE/BLOCK = 1 1/4"

### JAMB FASTENER MINIMUM EDGE DISTANCE AT OPENING OR BUCK

WOOD BUCK = 1"  
CONCRETE/BLOCK = 2"



### EXTERIOR ELEVATION RECTANGULAR UNIT


SCALE: 1/2"=1'-0"

(60" X 120" SIZE SHOWN. FOR OTHER APPLICABLE MAXIMUM SIZES, SEE LOAD TABLE ON SHEET 5)

**PRODUCT REVISED**  
as complying with the Florida Building Code  
Acceptance No. 03-0625-08  
Expiration Date 04/19/09

By *Warren W. Schaefer*  
Miami Dade Product Control Division

DRAWN BY: K.P.S.	CHECKED BY: W.W.S.
PLOT: 1=24	DATE: 05/13/03
DATE	BY
REVISION DESCRIPTION	NO.
DRAWING TITLE ALUMINUM CLAD WOOD DIRECT GLAZED FIXED NON-IMPACT WINDOWS	
MANUFACTURER KML WINDOWS, INC. 23 BUCHANAN COURT LONDON, ONTARIO, CANADA N5Z4P9 (519) 681-7012	
CONSULTANTS W. SCHAEFER ENGINEERING & CONSULTING, P.A. 8895 N. MILITARY TRAIL, SUITE C-204 PALM BEACH GARDENS, FL 33410 PHONE: 561-775-4902 FAX: 561-775-4903	
CERTIFICATION	JUN 18 2003 WARREN W. SCHAEFER, P.E. P.E. NO. 44135
DRAWING NO. 1225B	REV.
SHEET NO. 1 OF 6	



**EXTERIOR ELEVATION  
SHAPE TOP UNIT**


SCALE: 1/2"=1'-0"  
(60" X 120" SIZE SHOWN. FOR OTHER APPLICABLE  
MAXIMUM SIZES, SEE LOAD TABLE ON SHEET 5)

**NOTE: FOR COMBINATION  
OF UNITS. SEE  
MULLION DRAWING  
NO. 1003E UNDER  
SEPERATE APPROVAL**

**ALLOWABLE DESIGN LOADS**


SEE "LOAD TABLE" ON SHEET 5

FOR JAMB FASTENER EMBED & EDGE DISTANCE  
REQUIREMENTS, SEE SHEET 1



**EXTERIOR ELEVATION  
HALF ROUND UNIT**

SCALE: 1/2"=1'-0"  
(60" X 120" SIZE SHOWN. FOR OTHER APPLICABLE  
MAXIMUM SIZES, SEE LOAD TABLE ON SHEET 5)



**JAMB TO JAMB DETAIL**

SCALE: N.T.S.


**CLAD TO CLAD DETAIL**

SCALE: N.T.S.

**CORNER DETAILS**

PRODUCT REVISED  
as complying with the Florida  
Building Code  
Acceptance No. 03-0625.08  
Expiration Date 03/19/04  
By *Glenn Korman*  
Miami Dade Product Control  
Division

DRAWING TITLE		ALUMINUM CLAD WOOD DIRECT GLAZED FIXED NON-IMPACT WINDOWS		DRAWN BY: K.P.S.		CHECKED BY: W.W.S.	
CONSULTANTS		MANUFACTURER		PLOT: 1=24		DATE: 05/13/03	
W. W. SCHAEFER ENGINEERING & CONSULTING, P.A.		KML WINDOWS, INC.		NO.		REVISION	
8895 N. MILITARY TRAIL, SUITE C-204 PALM BEACH GARDENS, FL 33410 PHONE: 561-775-4902 FAX: 561-775-4903		23 BUCHANAN COURT LONDON, ONTARIO, CANADA N5Z4P9 (519) 681-7012		DESCRIPTION		DATE	
CERTIFICATION		JUN 18 2003		BY			
WARREN W. SCHAEFER, P.E. P.E. NO. 44135							
DRAWING NO.		1225B		REV.			
SHEET NO.		2 OF 6					




SECTION

SCALE: HALF FULL SIZE

(NOTE: HORIZONTAL SECTION IS THE SAME)

SHEAR SCREW  
INSTALLATION



SECTION



SCALE: HALF FULL SIZE

(NOTE: HORIZONTAL SECTION IS THE SAME)

CLIP  
INSTALLATION

PRODUCT REVISED  
as complying with the Florida  
Building Code  
Acceptance No. 03-0625.08  
Expiration Date 03/19/04  
By *Warren W. Schaefer*  
Miami Dade Product Control  
Division

DRAWN BY: K.P.S.	CHECKED BY: W.W.S.
PLOT: 1=2	DATE: 05/13/03
DATE	BY
REVISION DESCRIPTION	NO.
DRAWING TITLE ALUMINUM CLAD WOOD DIRECT GLAZED FIXED NON-IMPACT WINDOWS	
MANUFACTURER KML WINDOWS, INC. 23 BUCHANAN COURT LONDON, ONTARIO, CANADA N5Z4P9 (519) 681-7012	
CONSULTANTS W. W. SCHAEFER ENGINEERING & CONSULTING, P.A. 8895 N. MILITARY TRAIL, SUITE C-204 PALM BEACH GARDENS, FL 33410 PHONE: 561-775-4902 FAX: 561-775-4903	
CERTIFICATION	JUN 18 2003 WARREN W. SCHAEFER, P.E. P.E. NO. 44135
DRAWING NO. 1225B	REV.
SHEET NO. 3 OF 6	



PRODUCT REVISED  
as complying with the Florida  
Building Code  
Acceptance No 03-0625-08  
Expiration Date 04/19/09  
By *Glenn L. Luma*  
Miami Dade Product Control  
Division

DRAWN BY: K.P.S.	CHECKED BY: W.W.S.
PLOT: 1=2	DATE: 05/13/03
DATE	BY
REVISION DESCRIPTION	NO
DRAWING TITLE ALUMINUM CLAD WOOD DIRECT GLAZED FIXED NON-IMPACT WINDOWS	
CONSULTANTS W. W. SCHAEFER ENGINEERING & CONSULTING, P.A. 8895 N. MILITARY TRAIL, SUITE C-204 PALM BEACH GARDENS, FL 33410 PHONE: 561-775-4902 FAX: 561-775-4903	
MANUFACTURER KML WINDOWS, INC. 23 BUCHANAN COURT LONDON, ONTARIO, CANADA N5Z4P9 (519) 681-7012	
CERTIFICATION JUN 18 2004	WARREN W. SCHAEFER, P.E. P.E. NO. 44135
DRAWING NO. 1225B	REV.
SHEET NO. 4 OF 6	


DESIGN LOAD CAPACITY (PSF)			
WINDOW SIZE (OSM)		GLASS 20	
SHORT SIDE	LONG SIDE	POS	NEG
24"	36"	100	200
30"		100	160
36"		100	133
24"	48"	100	200
30"		100	160
36"		100	133
42"		100	114
48"		88	100
24"	60"	100	188
30"		100	160
36"		100	133
42"		100	114
48"		88	100
54"		78	89
60"		70	80
24"	72"	100	180
30"		100	152
36"		100	133
42"		100	114
48"		88	100
54"		78	89
60"		70	80
66"		64	73
72"		58	67
24"	84"	100	175
30"		100	146
36"		100	127
42"		100	114
48"		88	100
54"		78	89
60"		70	80
66"		64	73
72"		58	67

DESIGN LOAD CAPACITY (PSF)			
WINDOW SIZE (OSM)		GLASS 20	
SHORT SIDE	LONG SIDE	POS	NEG
24"	96"	100	171
30"		100	142
36"		100	123
42"		96	102
48"		88	95
54"		78	89
60"		70	80
66"		64	73
72"		58	67
24"	108"	100	169
30"		100	139
36"		100	120
42"		93	93
48"		81	81
54"		78	79
60"		70	79
66"		64	73
24"	120"	100	167
30"		100	137
36"		100	116
42"		86	86
48"		73	73
54"		69	69
60"		68	68
24"	132"	100	165
30"		100	135
36"		100	112
42"		82	82
48"		67	67
54"		60	60
24"	144"	100	164
30"		100	133
36"		97	108
42"		79	79
48"		62	62


GLASS 20 = 1/4" (6 mm) TEMPERED

NOTE: HEIGHT & WIDTH  
CAN BE INTERCHANGED

- NOTES:
1. THE LOADS IN THESE TABLES ARE AS DETERMINED BY TESTING & COMPARATIVE ANALYSIS WITH THE CONTROLLING FACTOR BEING THE WORSE CASE OF GLASS SIZE & AREA, UNIT AREA, OR FASTENER CAPABILITY.
  2. THE LOADS IN THESE TABLES MAY NOT BE INTERPOLATED.
  3. THE PRESSURES IN THESE TABLES CONSIDER A JAMB FASTENER SPACING OF 8" O.C. PRESSURES MUST BE REDUCED TO +/-62 PSF IF 12" SPACING IS USED.



TYPICAL GLASS & GLAZING DETAIL  
SCALE: FULL SIZE





OPTIONAL JAMB DETAIL FOR DIRECT  
MOUNT TO CONCRETE OR BLOCK  
(TYP. ALL UNITS)  
SCALE: 1/2 FULL SIZE

PRODUCT REVISED  
as complying with the Florida  
Building Code  
Acceptance No. 03-0625.08  
Expiration Date 04/19/09  
By *Warren W. Schaefer*  
Miami Dade Product Control  
Division


DRAWN BY: K.P.S.		CHECKED BY: W.W.S.	
PLOT: 1=2		DATE: 05/13/03	
DATE	BY	REVISION DESCRIPTION	NO.
DRAWING TITLE: ALUMINUM CLAD WOOD DIRECT GLAZED FIXED NON-IMPACT WINDOWS			
CONSULTANTS: W. W. SCHAEFER ENGINEERING & CONSULTING, P.A. 8895 N. MILITARY TRAIL, SUITE C-204 PALM BEACH GARDENS, FL 33410 PHONE: 561-775-4902 FAX: 561-775-4903		MANUFACTURER: KML WINDOWS, INC. 23 BUCHANAN COURT LONDON, ONTARIO, CANADA N5Z4P9 (519) 681-7012	
CERTIFICATION JUN 18 2003	WARREN W. SCHAEFER, P.E. P.E. NO. 44135		
DRAWING NO. 1225B	REV.		
SHEET NO. 5 OF 6			






③ LINEAL WOOD GLAZING STOP  
PONDEROSA PINE


④ RADIAL WOOD GLAZING STOP  
(LAMINATED VENEER)



⑤ FRAME CLADDING  
(6063-T5 ALUMINUM)



⑥ NAILING FIN  
(VINYL)



⑦ INSTALLATION CLIP  $\angle 0.25"$  DIA. HOLE  
(GALVANIZED STEEL)  
 $F_y = 33 \text{ ksi MIN.}$

PART NO.	REF. NO.	DESCRIPTION	NOTES
PARTS & EXTRUSIONS			
1	PF1277	LINEAL JAMB	SEE NOTE 1 THIS SHEET.
2	PF1231	RADIAL JAMB	LAMINATED VENEER
3	PF1205	LINEAL GLAZING STOP	SEE NOTE 1 THIS SHEET.
4	PF1218	RADIAL GLAZING STOP	LAMINATED VENEER
5	KM34	FRAME CLADDING	ALUMINUM (6063-T5)
6	PF1214 PF1326	VINYL NAILING FIN	OPTIONAL AT SHEAR SCREW INSTALLATION UNITS
7	SK1031	GALVANIZED 16 GA. STEEL INSTALLATION CLIP	GALVANIZED STEEL, INC. (F <sub>y</sub> = 33 KSI MIN.) 4" FROM CORNERS & 8" O.C.
FASTENERS & SEALANTS			
8	—	#8 x 1 1/4" SMS SCREW	4" FROM CORNERS & MAX. 12" O.C.
9	—	#8 x 5/8" PAN HEAD SMS SCREW	3 PER INSTALLATION CLIP INTO JAMB
10	—	#10 SMS SCREW WITH MINIMUM 1 3/8" EMBED INTO THE BUCK (JAMB TO BUCK)	4" FROM CORNERS & MAX. 8" O.C.
11	—	#8 x 1 1/4" SMS SCREW	2 PER CLIP INTO BUCK (1 EA. SIDE OF BUCK)
12	—	S/STL #8 x 1 1/4" SMS SCREW OR 1 5/8" DRYWALL SCREW	4" FROM ENDS & MAX. 10 1/2" O.C. WITH FIN
13	—	#6 x 3/4" SMS SCREW	4" FROM CORNERS & 12" O.C.
14A	—	#8 x 2" SMS SCREW	4 @ EACH RECTANGULAR JAMB CORNER
14B	—	#8 x 1 1/2" SMS SCREW	4 @ EACH RADIUS JAMB CORNER
15	—	#6 x 3/4" SMS SCREW	2 @ CLAD CORNERS INTO CLAD SPLINES
16	—	DOW 995 SILICONE	FOR 1/2" GLAZING BITE
17	—	STRUCTURAL SILICONE ADHESIVE	DOW 1199 CONTINUOUS CLADDING TO JAMB
OTHER			
18	—	NORTON NORGLAZE .0625" X .437" GLAZING TAPE	POLYOLEFIN FOAM W/ ACRYLIC ADHESIVE
19	—	TREMCO 440 BUTYL TAPE GASKET	TRIM OFF AT EDGES (TYP. AT CLAD CORNERS)
20	—	1/4" (6mm) THICK TEMPERED GLASS	

1

ALL WOOD USED WITH TESTED UNITS IS MINIMUM GRADE 2 PONDEROSA PINE.  
ALTERNATE WOOD SPECIES ACCEPTABLE WITH THIS PRODUCT ARE THE FOLLOWING  
MINIMUM GRADE 2 WOODS:

1. MAHOGANY
2. OAK
3. CHERRY
4. CYPRUS
5. DOUGLAS FIR
6. MAPLE
7. TEAK

PRODUCT REVISED  
is complying with the Florida  
Building Code  
Acceptance No. 03-0625-08  
Expiration Date 04/19/04  
By Glenn Lee Brown  
Miami-Dade Product Control  
Division

<b>CERTIFICATION</b> <b>JUN 18 2003</b>		<b>DRAWING NO.</b> <b>1225B</b>	<b>REV.</b>	<b>DRAWN BY:</b> K.P.S.	<b>CHECKED B:</b> W.W.S.		
				<b>PLOT:</b> 1=1	<b>DATE:</b> 05/13/03		
				NO.	REVISION DESCRIPTION	BY	DATE
<b>DRAWING TITLE</b> <b>ALUMINUM CLAD WOOD DIRECT GLAZED FIXED NON-IMPACT WINDOWS</b>		<b>MANUFACTURER</b> <b>KML WINDOWS, INC.</b> 23 BUCHANAN COURT LONDON, ONTARIO, CANADA N5Z4P9 (519) 681-7012					
<b>CONSULTANTS</b> <b>W. W. SCHAEFFER ENGINEERING &amp; CONSULTING, P.A.</b> 8895 N. MILITARY TRAIL; SUITE C-204 PALM BEACH GARDENS, FL 33410 PHONE: 561-7775-4902 FAX: 561-7775-4903							
<b>WARREN W. SCHAEFFER, P.E.</b> P.E. NO. 44135							
<b>SHEET NO.</b> <b>6 OF 6</b>							